



Department of Pharmacy

How to prepare Omeprazole 10mg in 5ml oral suspension

There are two bottles contained within the outer carton.

- o Bottle 1 is the powder
- o Bottle 2 is the diluent

Follow these instructions:

- 1. Gently shake bottle 1 (large bottle) to loosen the powder
- 2. Take the caps off both bottles
- 3. Pour the liquid from bottle 2 (small bottle) into bottle 1
- 4. Put the cap back on bottle 1 and shake it for at least 30 seconds.
- 5. After 30 seconds, take off the cap and insert the bottle adapter (bung) into the neck (top) of the bottle
- 6. Write the expiry date on **bottle 1**, this is 30 days from the date you have mixed the 2 bottles together
- 7. Throw away bottle 2

How to store omeprazole 10mg in 5ml suspension

All medicines should be stored safely out of the reach and sight of children

- Before you make up the suspension Store below 25°C Store in the original package
- 2. After you have made up the suspension Store in the refrigerator at 2°C to 8°C Discard after 30 days



Bottle 1

Bottle 2







This leaflet only gives general information.

You must always discuss the individual treatment of your child with the appropriate member of staff. Do not rely on this leaflet alone for information about your child's treatment. This information can be made available in other languages and formats if requested.

Alder Hey Children's NHS Foundation Trust, Eaton Road, Liverpool L12 2AP Tel: 0151 228 4811

www.alderhey.nhs.uk

Tel: 0151 228 4811 Ext: 4878 or 0151 252 5311 Ext: 2311

E Line

This information can be made available in other languages.

© Alder Hey Review Date: April 2025 PIAG: 392

